

# Bearsden Academy

## 53 - Block 1 & 2 Topics

- Removing brackets
- Completing the square
- Factorising
- Percentages
- Patterns
- The gradient
- Equation of a straight line
- Volume
- Surface Area

## **ALGEBRAIC EXPRESSIONS with BRACKETS**

Multiply out the brackets and simplify in each question.

1. (a) 
$$3(x+7)+2x$$

**(b)** 
$$16y - 5(2y + 3)$$

(c) 
$$7(s-2)-13$$
 (3)

2. (a) 
$$x(x^3+2)$$

**(b)** 
$$3m(8-m)$$

(c) 
$$2y^2(w-5y)$$
 (3)

3. (a) 
$$9(a+5)+7(2a+7)$$

**(b)** 
$$7(y-8)-5(3y-6)$$

4. (a) 
$$(x+4)(x+7)$$

**(b)** 
$$(y-9)(y-3)$$

(c) 
$$(s+12)(s-2)$$

(d) 
$$(2a+5)(a+9)$$

(e) 
$$(3w-8)(2w+1)$$

(f) 
$$(4x-3)^2$$

5. (a) 
$$(x+1)(x^2+1)$$

**(b)** 
$$(x-2)(2x^2-3x-2)$$

20 marks

## **ALGEBRAIC EXPRESSIONS with BRACKETS**

(a) 
$$5x + 21$$

$$6y - 15$$

(c) 
$$7s - 27$$

(a) 
$$x^4 + 2x$$

**(b)** 
$$24m - 3m^2$$

(c) 
$$2y^2w - 10y^3$$

(a) 
$$23a + 94$$

**(b)** 
$$-8y - 26$$

**5.** 

(a) 
$$x^2 + 11x + 28$$

(e)

**b)** 
$$y^2 - 12y + 27$$

**(f)** 

$$s^2 + 10s - 24$$

 $16x^2 - 24x + 9$ 

(a) 
$$x^3 + x^2 + x + 1$$

 $2a^2 + 23a + 45$ 

**(b)** 
$$2x^3 - 7x^2 + 4x + 4$$

 $6w^2 - 13w - 8$ 

#### **COMPLETING the SQUARE**

- 1. Write each of the following quadratic expressions in the form  $a(x+b)^2 + c$ :
  - (a)  $x^2 + 6x 3$
- **(b)**  $x^2 5x + 1$

(2, 2, -)

8 marks

National 5 Homework - Expressions and Formulae

#### 2.3 COMPLETING the SQUARE

1. (a)  $(x+3)^2-12$  (b)  $(x-2\cdot5)^2-5\cdot25$ 

## FACTORISING an ALGEBRAIC EXPRESSION

Factorise each expression in the following:

1. **(a)** 
$$y^2 + 5y$$

**(b)** 
$$4x^2 - 49$$

(c) 
$$5s^2 - 20$$

2. (a) 
$$x^2 + 10x + 25$$

**(b)** 
$$x^2 - 10x - 24$$

(c) 
$$k^2 + 5k - 6$$

3. (a) 
$$12a^2 + 7a - 12$$

**(b)** 
$$7w^2 - 2w - 9$$

(c) 
$$4x^2 - 11x + 6$$

4. (a) 
$$12x^2 + 16x + 4$$

**(b)** 
$$3m^2 - 6m - 9$$

(c) 
$$3 - 3x - 36x^2$$

**(5)** 

5. (a) 
$$x^5 - 81x$$

**(b)** 
$$a^2 + 3ab + 2b^2$$

25 marks

## **FACTORISING an ALGEBRAIC EXPRESSION**

1. (a) 
$$y(y+5)$$

**(b)** 
$$(2x-7)(2x+7)$$

(c) 
$$5(s-2)(s+2)$$

2 (a) 
$$(x+5)(x+5)$$

**(b)** 
$$(x-12)(x+2)$$

(c) 
$$(k+6)(k-1)$$

3. (a) 
$$(4a-3)(3a+4)$$

**(b)** 
$$(7w-9)(w+1)$$

(c) 
$$(4x-3)(x-2)$$

4. (a) 
$$4(3x+1)(x+1)$$

**(b)** 
$$3(m-3)(m+1)$$

(c) 
$$3(1-4x)(1+3x)$$

5. (a) 
$$x(x^2+9)(x-3)(x+3)$$

**(b)** 
$$(a+b)(a+2b)$$

## **WORKING with PERCENTAGES**

1.	John has just put £700 into a savings account where the rate of interest is 4% per annum.	
	How much will his savings be worth after 3 years?	(3)
2.	Mary puts £1200 into an account where the annual rate of interest is 5.5%.	
	How long will it be before she has at least £1400 in her account?	(5)
3.	My new car has just cost me £18,000. Its value will depreciate by 20% every year.	
	How much will it be worth when I trade it in 3 years from now?	(3)
4.	The pressure in my car tyre should be 30psi, but a nail in it is causing it to lose pressure at the of 15% every mile that I drive.	rate
	How far can I drive before the pressure falls below 20psi?	(5)
5.	Hassan has been told his hourly pay is to increase by 6% to £9.54.	
	Calculate his hourly rate before the increase.	(3)
<b>ó.</b>	Due to fire damage, the value of a painting has fallen by 34% and is now valued at £4158.	
	What was its value before the damage?	(3)

22 marks

## **WORKING with PERCENTAGES**

- 1. £787.40
- 2. 3 years to reach at least £1400
- 3. £9216
- **4.** 2 miles
- 5. £9
- **6.** £6300

## Exercise 1

## Sequences & Patterns



- 1. Give a rule for each of these sequences:- (begin with "start at ... and then .....").
  - a 2, 5, 8, 11, 14, ....
- b 7, 13, 19, 25, ....
- c 25, 20, 15, 10, ...

- d 98, 81, 64, 47, ....
- e 3, 9, 27, 81, ....
- f 1, 6, 36, 216, ...
- 2. Write down the next two numbers in each sequence from question 1.
- 3. Find the next two numbers in each sequence:
  - a 7, 9, 11, 13, .....
- b 5, 9, 13, 17, .....
- c 24, 22, 20, .....

- **d** 70, 58, 46, 34, .....
- e 1, 3, 9, .....
- f 2, 4, 8, 16, .....

- 4. Shown is the pattern for square numbers.
  Write down the first 12 square numbers.
- 0 00
- 000
- 0000
- 5. A pattern of numbers is defined as :-  $(2 \times 3)$ ,  $(3 \times 4)$ ,  $(4 \times 5)$ ,  $(5 \times 6)$  ....
  - Write down the:-
- a 10th term
- b 1000<sup>th</sup> term
- c nth term.

## Exercise 2

## Simple Linear Patterns



- 1. Each door has six window panes.
  - a Copy and complete the table.
  - **b** Copy and complete the formula :-  $P = ..... \times D$

No. of Doors (D)	1	2	3	4	5			
No. of Panes (P)	6	12	?	?	?			
riana huu								

- c How many panes would there be in 11 doors?
- d How many doors are there if there are 78 panes?
- 2. For the tables below:-
- (i) complete each one
- (ii) construct a formula.

a No. of toys and price

T	1	2	3	4	5	6	
P	9	18	27	•••		***	
		Р:		X	Т		

b No. of seconds and no. of minutes

5 60 120 180	М	1	2	3	4	5	6
	5	60	120	180	***		***

- c No. of pentagons and no. of vertices
  - P
     1
     2
     3
     4
     5
     6

     V
     5
     10
     15
     ...
     ...
     ...
- d No. of tables to legs

Т	1	2	3	4	5	6	
L	8	16	24				

- 3. Linear Graphs For each of the tables below:-
  - (i) complete each table

- (ii) construct a formula
- (iii) take each pair of numbers as coordinates
- (iv) plot on a coordinate graph
- (v) draw a line through the points and label the line with your formula.

a [

x	0	1	2	3	4	5	
y	0	3	6	9	***	***	

b

	x	0	1	2	3	4	5
ĺ	y	0	2	4	6	•••	•••

## Exercise 3


#### Harder Linear Patterns



1. Look at the pattern shown.




1 triangle perimeter 3



perimeter 4

3 triangle perimeter 5



4 triangle perimeter 6

a Copy and complete the table shown.

No. of triangles (T)	1	2	3	4	5	6
Perimeter (P)	3	4	5		•••	

- **b** Copy and complete the formula for the above pattern:  $P = ... \times T + ...$
- c Find the perimeter of the pattern with 21 triangles.
- d Find the number of triangles if the perimeter is 27.
- 2. For each of the tables below:-
  - (i) complete each table

α

x	0	1	2	3	4	5	
У	3	5	7	9	***		

C

	,						
x	0	1	2	3	4	5	
у	-2	1	4	7			

e

x	-2	-1	0	1	2	3
y	•••	-4	-2	0	2	***

(ii) construct a formula.

b

X	0	1	2	3	4	5
y	5	6	7	8		***

d

x	0	1	2	3	4	5
y	-1	4	9	14		

f

X	-2	-1	0	1	2	3	
y		-11	-4	3			

- 3. Harder Linear Graphs - For each of the tables below:
  - complete each table (i)

- (ii) construct a formula
- take each pair of numbers as coordinates (iv) plot on a coordinate graph (iii)
- draw a line through the points and label the line with your formula. (v)

a	x	-2	-1	0	1	2	3	
	У	-1	2	5		***	***	

x	-2	-1	0	1	2	3	
у	***	•••	-5	-3	-1	•••	

## Revisit - Review - Revise 4



- Write down the next two numbers in these sequences:-
  - 80, 73, 66, 59, 52, .....
- 225, 196, 169, 144, 121, .....

c 2, 6, 12, 20, 30, ....

- 1, 2, 5, 10, 20, ....
- 2. If you add any 2 consecutive triangular numbers together, you get a square number.

For example: 
$$(1+3=4)$$
,  $(3+6=9)$ ,  $(6+10=16)$ , etc...

Which 2 consecutive triangular numbers add to give the square number 100?

3. This table shows the number of bags (B) with the number of sweets (5) in total.



В	1	2	3	4
5	7	14	21	28

Write down the formula for the number of bags and the number of sweets. α


Ь How many sweets are there in 11 bags?





4. Shown below are four tables showing the connection between pairs of values. Write down a formula connecting the value of the 2nd letter to the 1st letter.

a	Τ	1	2	3_	4	
	P	3	5	7	9	
	P =	T+				



G = .....


С	С	1	2	3	4
	K	<b>-</b> 5	-1	3	7

d X -5 -3

<i>C</i> h 3	Cumulativ	e Ex 1	(Chapters 1-3)	3. a	15,17 b 21,2	5 c 18, 16
				d	22,10 e 27,8	31 f 32,64
1. a		b 121 cm <sup>2</sup>	c 2.25 m <sup>2</sup>	4. 1,	4, 9, 16, 25, 36, 49, 64	, 81, 100, 121, 144
2. a		b 64	c 36	5. a	11 x 12 b 1001	$\times 1002$ c $(n+1) \times (n+2)$
d	144	e 10000	f 8			
9	81	h 100000	i 256	Ch 4	Ex 2 Simple	Linear Patterns
j	-1	k 8	l 10		•	
m		n 1000	o 10	1. a		
р	2	q 3			6 12 18 24 30 36	
		er 50g, large 23		ь	·	d 13
		cheaper per 50	-	2. a		
•		all £1·10, mediun	n 80p, large 91p		9 18 27 36 45 54	P = 9T
	neapest is me		• • • •	Ь		6
		cheaper. (Mixer			60 120 180 240 300	$360 \qquad S = 60M$
ь		cheaper (Mixer	£120)	С	1 2 3 4 5 6	
6. a	28	Ь 30			5 10 15 20 25 30	V = 5P
С	36	d 30		ď	123456	
7. a	4	ь 12			8 16 24 32 40 48	L = 8T
c	7	d 1		З. а	0 1 2 3 4 5 6	
	23, 29	•	c 101, 103, 107, 109		0 3 6 9 12 15 18	•
9. a	2 x 2 x 2 x				check linear diagra	n
b	2 x 2 x 3 x			Ь	0123456	
С	2 x 2 x 3 x				0 2 4 6 8 10 12	y = 2x
ď	2 x 2 x 2 x	2 x 2 x 3 x 5 x			check linear diagra	n
		ь \$2041-20	c 61538·46 Yen			
11. £3				Ch 4	Ex 3 Harder	Linear Patterns
12. 9	6%			1. a	123456	
				. u	3 4 5 6 7 8	
Chap	ter 4 : 1	atterns				
				h	P = T + 2	d 25
	2 2			2 a	P=T+2 c 23	d 25
Review	w 3 Percei	ntages, Fraction	ns & Decimals	2. a	0 1 2 3 4 5	
		ntages, Fraction		2. a	0 1 2 3 4 5 3 5 7 9 11 13	d 25
1. a	0.25 1/4	ntages, Fraction b 0:4	5 <sup>9</sup> / <sub>20</sub>	2. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5	y = 2x + 3
1. a	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub>	ntages, Fraction b 0:4 d 0:7	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub>	2. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10	
1. a	0.25 1/4	ntages, Fraction b 0:4	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub>	2. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5	y = 2x + 3 y = x + 5
1. a c	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub>	b 0.4 d 0.7 f 0.12	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub>	2. a b c	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13	y = 2x + 3
1. a c e g	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub>	b 0.4 d 0.7 f 0.12 o h 1.00	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1	2. a b c	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5	y = 2x + 3 $y = x + 5$ $y = 3x - 2$
1. a c e g 2. a	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32%	b 0.4 d 0.7 f 0.12 o h 1.00 b 80%	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2%	2. a b c d	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24	y = 2x + 3 y = x + 5
1. a c e g 2. a d	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90%	htages, Fraction b 0.4 d 0.7 f 0.12 h 1.00 b 80% e 30%	5 <sup>9</sup> / <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1	2. a b c d	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$
1. a c e g 2. a d g	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3%	htages, Fraction b 0.4 d 0.7 f 0.12 h 1.00 b 80% e 30% h 150%	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80%	2. a b c d	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4	y = 2x + 3 $y = x + 5$ $y = 3x - 2$
1. a c c e g 2. a d g 9 3. a	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g	$5^{9}/_{20}$ $1^{71}/_{100}$ $25^{1}/_{8}$ $0^{1}/_{1} = 1$ $c^{2}%$ $f^{80}%$ $c^{2}$ $c^{2}$	2. a b c d e	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$ $y = 2x - 2$
1. a c e g 2. a d g 3. a d	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200	5 9/20 1 71/100 25 1/8 0 1/1 = 1 c 2% f 80% c £32 f 52 km	2. a b c d e	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$
1. a c c e g 2. a d g 9 3. a	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml £91	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80%  c £32 f 52 km c £1260	2. a b c d e	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$ $y = 2x - 2$ $y = 7x - 4$
1. a c e g 2. a d g 3. a d 4. a d	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml £91 £24·31	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385	5 9/20 1 71/100 25 1/8 0 1/1 = 1 c 2% f 80% c £32 f 52 km	2. a b c d e	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$ $y = 2x - 2$
1. a c e g 2. a d g 3. a d 4. a d 5. a	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml £91 £24·31 1530 mph	b 0.4 d 0.7 f 0.12 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80%  c £32 f 52 km c £1260	2. a b c d e f 3. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$ $y = 2x - 2$ $y = 7x - 4$
1. a c e g 2. a d g 3. a d d 4. a d d 5. a 6. Su	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml £91 £24·31 1530 mph	b 0.4 d 0.7 f 0.13 o h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80%  c £32 f 52 km c £1260	2. a b c d e f 3. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Glo	0.25 <sup>1</sup> / <sub>4</sub> 0.78 <sup>39</sup> / <sub>50</sub> 0.75 <sup>3</sup> / <sub>4</sub> 0.005 <sup>1</sup> / <sub>20</sub> 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80%  c £32 f 52 km c £1260	2. a b c d e f 3. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1	y = 2x + 3 $y = x + 5$ $y = 3x - 2$ $y = 5x - 1$ $y = 2x - 2$ $y = 7x - 4$
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Glo	0·25 <sup>1</sup> / <sub>4</sub> 0·78 <sup>39</sup> / <sub>50</sub> 0·75 <sup>3</sup> / <sub>4</sub> 0·005 <sup>1</sup> / <sub>20</sub> 32% 90% 0·3% £90 360 ml £91 £24·31 1530 mph	b 0.4 d 0.7 f 0.13 o h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80%  c £32 f 52 km c £1260	2. a b c d e f 3. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Glo	0.25 <sup>1</sup> / <sub>4</sub> 0.78 <sup>39</sup> / <sub>50</sub> 0.75 <sup>3</sup> / <sub>4</sub> 0.005 <sup>1</sup> / <sub>20</sub> 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm	5 9/20 1 71/100 25 1/8 0 1/1 = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f . 3. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Cle Ch 4	0.25 <sup>1</sup> / <sub>4</sub> 0.78 <sup>39</sup> / <sub>50</sub> 0.75 <sup>3</sup> / <sub>4</sub> 0.005 <sup>1</sup> / <sub>20</sub> 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis <b>Ex 1</b>	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 224 cm - 224 cm	5 9/20 1 71/100 25 1/8 0 1/1 = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review -	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Gle Ch 4	0.25 <sup>1</sup> / <sub>4</sub> 0.78 <sup>39</sup> / <sub>50</sub> 0.75 <sup>3</sup> / <sub>4</sub> 0.005 <sup>1</sup> / <sub>20</sub> 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis <b>Ex 1</b> start at 2 t	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & Pithen add 3	5 9/20 1 71/100 25 1/8 0 1/1 = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f . 3. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45,38 b 100,3	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4
1. a c e g 2. a d 9 3. a d 4. a 6. Su Gle Cle Ch 4 1. a b	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1 start at 2 t start at 7 t	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & P	5 9/ <sub>20</sub> 1 71/ <sub>100</sub> 25 1/ <sub>8</sub> 0 1/ <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review  45,38 b 100,8 42,56 d 50,1	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4
1. a c e g g 2. a d g g 3. a d d 4. a d d 5. a 6. Su Gle Cle Ch 4 1. a b c	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1 start at 2 t start at 7 t start at 25	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & P then add 3 then add 6 then subtract 5	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45,38 b 100,3 42,56 d 50,1	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4
1. a c e 9 2. a d 9 3. a d 4. a d 5. a 6. Su Cle  Ch 4 1. a b c d	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1 start at 2 t start at 7 t start at 25 start at 98	b 0.4 d 0.7 f 0.12 0 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 225 cm - 224 cm - 224 cm Sequences & P then add 3 then add 6 then subtract 5 then subtract 5	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b  Ch 4 1. a c 2. 45 3. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45, 38 b 100, 16 +55 5 = 78 b 77	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4 81 00 (coin values)
1. a c e g 2. a d g 3. a d 4. a d 5. Su Cle  Ch 4  1. a b c d e	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1  start at 2 t start at 7 t start at 25 start at 98 start at 3 t	b 0.4 d 0.7 f 0.12 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & P then add 3 then subtract 1 then subtract 1 then subtract 1	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b  Ch 4 1. a c 2. 45 3. a 4. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45, 38 b 100, 42, 56 d 50, 16+55 S = 78 b 77 P = 2T + 1 b G = 4	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4 81 00 (coin values)
1. a c e g 2. a d g 3. a d 4. a d 5. a 6. Su Che	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1  start at 2 t start at 7 t start at 7 t start at 25 start at 98 start at 3 t start at 1 t	b 0.4 d 0.7 f 0.13 o h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & P then add 3 then add 6 then subtract 1 then times by 3 hen times by 6	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b  Ch 4 1. a c 2. 45 3. a 4. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45, 38 b 100, 16 +55 5 = 78 b 77	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4 81 00 (coin values)
1. a c e g 2. a d g 3. a d 4. a d 5. Su Cle  Ch 4  1. a b c d e	0.25 1/4 0.78 39/50 0.75 3/4 0.005 1/20 32% 90% 0.3% £90 360 ml £91 £24.31 1530 mph unflower adiola ematis  Ex 1  start at 2 t start at 7 t start at 2 t start at 3 t start at 3 t start at 1 t	b 0.4 d 0.7 f 0.12 h 1.00 b 80% e 30% h 150% b 300g e \$200 b £225 e £385 b 378 - 232 cm - 225 cm - 224 cm Sequences & P then add 3 then subtract 1 then subtract 1 then subtract 1	5 9/ <sub>20</sub> 1 <sup>71</sup> / <sub>100</sub> 25 <sup>1</sup> / <sub>8</sub> 0 <sup>1</sup> / <sub>1</sub> = 1 c 2% f 80% c £32 f 52 km c £1260 f £38-40	2. a b c d e f 3. a b  Ch 4 1. a c 2. 45 3. a 4. a	0 1 2 3 4 5 3 5 7 9 11 13 0 1 2 3 4 5 5 6 7 8 9 10 0 1 2 3 4 5 -2 1 4 7 10 13 0 1 2 3 4 5 -1 4 9 14 19 24 -2 -1 0 1 2 3 -6 -4 -2 0 2 4 -2 -1 0 1 2 3 18 -11 -4 3 10 17 -2 -1 0 1 2 3 -1 2 5 8 11 14 check graph -2 -1 0 1 2 3 -9 -7 -5 -3 -1 1 Check graph  Revisit - Review - 45, 38 b 100, 42, 56 d 50, 16+55 S = 78 b 77 P = 2T + 1 b G = 4	y = 2x + 3 y = x + 5 y = 3x - 2 y = 5x - 1 y = 2x - 2 y = 7x - 4 y = 3x + 5 y = 2x - 5 • Revise 4 81 00 (coin values)

## **DETERMINING the GRADIENT of a STRAIGHT LINE given TWO POINTS**

The line CD passes through the points (0, 5) and (6, 0) 1.



Calculate the gradient of CD.

**(1)** 

2. A line passes through the points A(-2, -4) and B(8, 1).

Find the gradient of the line AB.

**(2)** 

Prove that the points A(0, -2), B(-4, 4) and C(6, -11) all lie on the same straight line. (3) 3.

The points S(k, 3), T(10, 2) and U(-2, 5) are collinear. Find the value of k. 4. **(4)** 

Calculate the gradient of a line which is parallel to the line passing through F(3, -7)5. and G(-8, 2).

**(2)** 

The line which passes through (-4, 1) and (-7, -11) is parallel to the line through (2, y)6. and (-3, -3). Find the value of y. **(4)** 

**(3)** 

20 marks

**DETERMINING the GRADIENT of a STRAIGHT LINE given TWO POINTS** 

1. 
$$-\frac{5}{6}$$

2. 
$$\frac{1}{2}$$
 3. Proof [gradients  $-\frac{3}{2}$ ]


4. 
$$k = 6$$

5. 
$$-\frac{9}{11}$$
 6.  $y = 17$ 

## **DETERMINING the EQUATION of a STRAIGHT LINE**

1. Calculate the gradients of the lines AB and CD shown below.

(2)



- 2. A line passes through the points A(-2, -4) and B(8, 1).
  - (a) Find the gradient of the line AB.

(2)

(b) Find the equation of the line AB.

(2)

3. Find the equation of the line passing through P(4, 6) which is parallel to the line with equation 4x - 2y + 6 = 0.

(4)

4. A straight line has equation 3y - 2x = 6.

Find the gradient and y-intercept of the line.

(3)

5. Find the equation of the straight line joining the points P(-4, 1) and Q(2, -3).

(3)

#### **DETERMINING the EQUATION of a STRAIGHT LINE**

1. 
$$m_{AB} = \frac{2}{3}$$
  $m_{CD} = -2$ 

2. **(a)** 
$$m_{AB} = \frac{1}{2}$$

**(b)** 
$$2y - x = -6$$

3. 
$$y-2x=-2$$

4. 
$$m = \frac{2}{3}$$

$$y$$
 – intercept  $(0, 2)$ 

5. 
$$3y + 2x = -5$$



Book 4G

## Surface Areas

This Exercise to go with Chapter 7 (following Exercise 2)


# Surface Areas


Chapter 7

## The Surface Area of a Triangular Prism

In Textbook 4G, you were shown how to find the surface area of a triangular prism. The following exercise gives you more examples on this topic.

Remember -
Area 
$$_{rect} = L \times B$$
Area  $_{triangle} = \frac{1}{2}(L \times B)$ 






To calculate the TOTAL SURFACE AREA, you must follow these steps:-


- Step 1 find the area of each rectangle 1 large and 2 smaller
- Step 2 find the area of each triangle (both the same)
- Step 3 add your answers to get total surface area (in cm<sup>2</sup>)

#### Exercise 2E

- 1. For the triangular prism shown, calculate:-
  - (a) (i) the area of the rectangle A.
    - (ii) the areas of rectangles B.
  - (b) the areas of triangles C.
  - (c) the total surface area.




2.




20 cm


- (a) (i) the area of the rectangle A.
  - (ii) the areas of rectangles B and C.
- (b) the areas of triangles D and E (the same).
- (c) the total surface area.
- This triangular prism consists of 3 rectangles and 2 right angled triangles. 3.




- (a) the area of the 3 rectangles.
  - (b) the area of the 2 right angled triangles.
  - (c) the total surface area.
- Calculate :-4.
  - (a) (i) the area of the rectangular floor.
    - (ii) the area of the rectangular "back".
    - (iii) the area of the rectangular "sloping side".
  - (b) the area of the 2 right angled triangles.
  - (c) the total surface area.



5. Calculate the total area of canvas required for the ground-sheet, the 2 sloping sides that make up the roof and the 2 triangular ends of this tent.




6. The farmer empties pig food into this open trough.
The end faces are isosceles triangles.



What area of metal is required to make this trough? (Remember - the top is open!!)


7. A wedding reception was held in a large marquee as shown.






- (a) Calculate the area of each end of the marquee.
- (b) Calculate the total surface area of the marquee including the canvas floor.

## The Surface Area of a Cylinder




#### Exercise 3E


1. Calculate the area of each label removed from their cylindrical cans.  $(A = L \times B)$ 



- 2. (a) Calculate the circumference of this circular top. ( $C = \pi D$  or  $C = 2\pi r$ )
  - (b) Calculate the <u>curved surface area</u> of this cylinder.




3. Calculate the <u>curved surface area</u> (C.S.A.) of these cylinders:-




4. The height of a large pot of soup is 70 cm, and the radius of the base is 40 cm.

Calculate the pot's curved surface area.



- 5. For each cylinder find :-
  - (i) the area of the circular ends. (A =  $\pi r^2$  twice!)
  - (ii) the curved surface area.
  - (iii) the total surface area.




- 6. This can has been opened and the lid removed!
  - It has a base with radius 4 cm and height 10 cm.

Calculate the area of :-

(a) its base.

7.

- (b) its curved surface area.
- (c) its total surface area.



8 cm


For this cylindrical saucepan :-Calculate the area of :-

- (a) its base.
- (b) its curved surface area.
- (c) its total surface area.
- 8. The NET of a closed cylinder is shown.

20 cm


Calculate the area of :-


- (a) its base.
- (b) its curved surface area.
- (c) its total surface area



#### 9. PROBLEM!

Shown is a box of flowering seeds covered by a curved piece of clear plastic.





Calculate the area of curved clear plastic needed to cover the seed box.




Book 4G

#### Volumes

This Exercise to go with Chapter 8 (following Exercise 3)


## Chapter 8



## The Volume of a Cylinder

To find the volume of a cylinder, simply:-

"Find the <u>Area of the Base</u> (a circle) then multiply the answer by the <u>Height</u> of the Cylinder".




#### Three Cases :-


1. Finding the volume of a cylinder when the area of the base is already given.

$$= 40 \text{ cm}^2 \times 10 \text{ cm}$$

$$= 400 \text{ cm}^3$$



2. Finding the volume of a cylinder given the radius of the circular base.



V = Area of base × height

$$V = \pi r^2 h$$

$$= 3.14 \times 10 \times 10 \times 15$$

$$= 4710 \text{ cm}^3$$

3. Finding the volume of a cylinder given the diameter of the circular base.

Use:- 
$$V = \pi r^2 h$$


(this time, the radius has to be found first)

Answer: - diameter is 12 cm, so radius is 6 cm.

$$V = \pi r^{2} h$$


$$= 3.14 \times 6 \times 6 \times 15$$

$$= 1696 \text{ cm}^{3}$$




#### Exercise 3E


1. Find the volume of each of the following cylinders:- (the areas of the circular bases are given)




2. Use the formula  $V = \pi r^2 h$  to find the volumes of the following cylinders, giving you answers to 2 decimal places:—
(in each case, the <u>radius</u> of the circular base is given)




3. Write down the radius of each circular base. Use the formula  $V = \pi r^2 h$  to find the volume of each of the following cylinders:- (give your answers correct to the nearest whole cm<sup>3</sup>)



4. Calculate the volumes of the following cylinders:-



- 5. The wooden logs shown below have been sawn into fractional parts of a cylinder. (e.g. a half cylinder, a quarter cylinder, etc.)
  - Calculate :-
- (i) the volume of the original whole cylinder each time.
- (ii) the volume of the actual shape.



- 6. Each end of this sun canopy is in the shape of a quarter-circle.

  The shape itself is a quarter-cylinder.
  - (a) (i) Calculate the area of one quarter-circle end.
    - (ii) Use your answer to find the volume of the shape.
  - (b) (i) Use the formula  $V = \pi r^2 h$  to find the volume of the whole cylinder.
    - (ii) Now find the volume of the quarter-cylinder.




7. This picture shows a hollow plastic tube. It is 200 cm long.

It has an outside diameter of 40 cm.

It has an inside diameter of 20 cm.

Calculate :-

- (a) the area of the large circular end with a diameter of 40 cm.
- (b) the area of the small circular end with a diameter of 20 cm.
- (c) the shaded area.
- (d) the volume of the tube.



5 m

FRED'5


200 cm

40 cm


#### The Volume of a Triangular Prism

#### Two Cases :-

1. Finding the volume of a triangular prism when the area of the triangular base is already given.




2. Finding the volume of a triangular prism given the base and height of the end triangle.





#### Exercise 4E


- **-**
- Find the volume of each of the following triangular prisms: (the areas of the circular bases are given)




2. Calculate the volume of each of the following triangular prisms:-










(d)








- 3. For the tent shown below, calculate:-
  - (a) the area of the triangular front.
  - (b) the volume of the tent.





- 4. Shown is a house on which repairs are being done to its roof.
  - (a) Write down the height (h metres) of the roof.
  - (b) The ends of the roof are isosceles triangles. Calculate the area of one triangular end.
  - (c) Work out the volume of the roof space.





- 5. For each of the following, find:-
  - (i) the area of the "end" rectangle.
  - (iii) the total "end" area.

- (ii) the area of the "end" triangle.
- (iv) the volume of the shape.









5.	а	0.026	b	0.00046	c	0.00573
	d	0.0000904	e	0.26381	f	0.006
	g	0-00009	h	0.00000010	01	
6.	0.0	)28 kg = 28 g	= le	ss than 30 g		
7.	a	0.005	Ь	0-021	c	0-0006
	ď	0.071	e	0.0000693	f	0.000001234
8.	а	(i) 0·025		(ii) 360		(iii) 0-004
		(iv) 700000	)	(v) 0.00029	8	(vi) 30710
	ь	(i) $7 \times 10^{-2}$		(ii) 5·3 × 10	1	(iii) 4·5 × 10 <sup>-4</sup>
		(iv) 4·67 × 1		(v) 1·39 x 1	0-3	(vi) $5.8 \times 10^5$
		(vii) 9 x 10 <sup>-1</sup>		(viii) 6-3 x 1	107	(ix) $2 \times 10^{-1}$
_		_				

9. n = 9

10. a 3400 km ь 780000000 km d 0.00000335 sec c 0.0054 m

b 3 x 10<sup>-5</sup> sec 11. a 1.74 x 106 m  $d 6.2 \times 10^{-6} \, \text{mm}$  $c 1.494 \times 10^5$ 

12.  $7.5 \times 10^{-10}$  kg

#### CHAPTER 6

#### Exercise 4E

1. B(6,3) C(2,4) D(0,3) E(2,0)

c origin 2. a x-axis b y-axis

e Band D

 $\frac{2}{6} = \frac{1}{3}$ 3. a/b see diagram

4. a/b see diagram

 $c = \frac{6}{2} = 3$ **d** 0

5. a  $\frac{1}{2}$ 6. Q(4,3) R(3,0) S(1,-3) T(-2,4)

U(-3,0) V(-2,1) W(-3,-2) Z(-2,-3)

b 4

Ьş

7. a/b see diagram

 $c = \frac{3}{9} = \frac{1}{3}$ c = d 4

#### CHAPTER 7

8. a 3

#### Exercise 2E

1, a (i) 120 cm<sup>2</sup> (ii) 96 cm<sup>2</sup> each b 30 cm<sup>2</sup> each c 372 cm<sup>2</sup> 2. a (i) 120 cm<sup>2</sup> (ii) 100 cm<sup>2</sup> each

c 344 cm<sup>2</sup> b 12 cm<sup>2</sup> each

3. a  $2100 \text{ cm}^2$ ,  $2800 \text{ cm}^2$ ,  $3500 \text{ cm}^2$ 

b 600 cm<sup>2</sup> each c 9600 cm<sup>2</sup> (ii) 240 m<sup>2</sup> (iii) 260 m<sup>2</sup> 4. a (i) 100 m<sup>2</sup>

b 30 m<sup>2</sup> each 5. 85.5 m<sup>2</sup>

c 660 m<sup>2</sup> 6. 31050 cm<sup>2</sup>

7. a 75 m<sup>2</sup> each

b 1857 m<sup>2</sup>

b 301·44 cm<sup>2</sup> c 1256 cm<sup>2</sup> 3. a 2512 cm<sup>2</sup>

4. 17584 cm<sup>2</sup>

(iii) 653·12 cm<sup>2</sup> 5. a (i) 25·12 cm<sup>2</sup> (ii) 628 cm<sup>2</sup> b (i) 100-48 cm<sup>2</sup> (ii) 1507-2 cm<sup>2</sup> (iii) 1607-68 cm<sup>2</sup>

(iii) 15072 cm<sup>2</sup> c (i) 10048 cm<sup>2</sup> (ii) 5024 cm<sup>2</sup>

d (i) 157 cm<sup>2</sup> (ii) 1256 cm<sup>2</sup> (iii) 1413 cm<sup>2</sup>

b 251·2 cm<sup>2</sup> c 301·44 cm<sup>2</sup> 6. a 50·24 cm<sup>2</sup>

7. a 314 cm<sup>2</sup> b 502·4 cm<sup>2</sup> c 816.4 cm<sup>2</sup>

b 1004·8 cm<sup>2</sup> c 1632·8 cm<sup>2</sup> 8. a 314 cm<sup>2</sup>

9. 3768 cm<sup>2</sup>

#### CHAPTER 8

#### Exercise 3E

1. a 300 cm<sup>3</sup> b 250 cm<sup>3</sup> c 770 cm<sup>3</sup> e 114 cm<sup>3</sup> f 270 cm<sup>3</sup> d 185 cm<sup>3</sup> b 452·16 cm<sup>3</sup> c 602·88 cm<sup>3</sup> 2. a 1099 cm<sup>3</sup>

d 602.88 cm<sup>3</sup>

3. a 2462 cm<sup>3</sup> b 1570 cm<sup>3</sup> c 3925 cm<sup>3</sup> d 565 cm<sup>3</sup>

4. a 282.6 cm<sup>3</sup> b 5699·1 cm<sup>3</sup> c 5652 cm<sup>3</sup> f 1356·48 mm<sup>3</sup>

d 1884 cm<sup>3</sup> e 314 mm<sup>3</sup> 5. a (i) 2034·72 cm<sup>3</sup> (ii) 1017·36 cm<sup>3</sup>

b (i) 3014.4 cm<sup>3</sup> (ii) 753.6 cm<sup>3</sup>

c (i) 2260·8 cm<sup>3</sup> (ii) 1695·6 cm<sup>3</sup>

6, a (i) 1.76625 m<sup>2</sup> (ii) 8.83125 m<sup>3</sup>

b (i) 35·325 m<sup>3</sup> (ii) 8·83125 m<sup>3</sup>

c same answer

7. a 1256 cm<sup>2</sup> b 314 cm<sup>2</sup> c 942 cm<sup>2</sup> d 188400 cm<sup>3</sup>

#### Exercise 4E

1. a 320 cm<sup>3</sup> b 150 cm<sup>3</sup> c 500 cm<sup>3</sup> 2, a 48000 cm<sup>3</sup> b 70000 cm<sup>3</sup> c 3200 cm<sup>3</sup> d 1500 cm<sup>3</sup> e 24 cm<sup>3</sup> f 200000 cm<sup>3</sup>

q 126 cm<sup>3</sup>

3. a 0.5 m<sup>2</sup> b 1.5 m<sup>3</sup>

4. a 3 m b 13.5 m<sup>2</sup> c 148.5 m<sup>3</sup>

5. a (i) 20 m<sup>2</sup> (ii)  $5 \, \text{m}^2$ 

(iii) 25 m<sup>2</sup> (iv) 200 m<sup>3</sup>

b (i) 55 m<sup>2</sup> (ii)  $10 \text{ m}^2$ 

(iii) 65 m<sup>2</sup> (iv) 130 m<sup>3</sup>

c (i) 140 m<sup>2</sup> (ii) 10 m<sup>2</sup>

(iii) 150 m<sup>2</sup> (iv) 1050 m<sup>3</sup>

d (i) area of end face = 308 m<sup>2</sup>

(ii)  $vol = 308 \text{ m}^2 \times 8 \text{ m} = 2464 \text{ m}^3$ 

#### Exercise 3E


c 60 cm<sup>2</sup> 1. a 100 cm<sup>2</sup> b 200 cm<sup>2</sup> 2. a 37.68 cm

b 150.72 cm<sup>2</sup>

## WORKING with the VOLUME of a SOLID SPHERE, CONE, PYRAMID

Give your answers correct to 3 significant figures where necessary.

1.



A cone has a base diameter of 16cm and a height of 17cm.

Calculate the volume of the cone, giving your answer correct to 3 sig figs.


[Volume of cone = 
$$\frac{1}{3}\pi r^2 h$$
] (3)

2. A lead sinker is in the shape of a cone with a hemispherical base.

The total height of the sinker is 12cm and the diameter of the base is 10cm

Calculate the volume of lead required to make the sinker.

[Volume of sphere = 
$$\frac{4}{3}\pi r^3$$
]



- 3. (a) Calculate the volume of the largest sphere which will fit inside a cube of side 15cm.
  - (b) Calculate the volume of wasted space between the two. [Answer to nearest cm<sup>3</sup>]
    (2, 3)
- 4. A pyramid has a square base of side 6cm and a vertical height of 9cm.

Calculate the volume of the pyramid correct to 2 significant figures.

**(4)** 

16 marks

# WORKING with the VOLUME of a SOLID SPHERE, CONE, PYRAMID

1.  $1140 \text{cm}^3$  2.  $445 \text{cm}^3$  3. (a)  $1770 \text{cm}^3$  (b)  $1610 \text{cm}^3$ 

4. 110cm<sup>3</sup>

